



TB Series Plastic Enclosure



Dimension(允許誤差 ± 1mm)

防水防塵等級 IP 56  
溫度範圍 -40°C~+80°C



Size	產品型號 Product model (Plastic latch+hinge type)								底板型號 Plate Model		鐵底板尺寸 Plate Size				
	W	H	D	W <sub>3</sub>	H <sub>3</sub>	D <sub>1</sub>	D <sub>2</sub>	ABS Cover: Grey ABS Body: Grey ABS	PC/ABS Cover: Transparent PC Body: Grey ABS	PC Cover: Grey PC Body: Grey PC	PC Cover: Transparent PC Body: Grey PC	Plastic(塑料)	Metal(金屬)	M1	M2
80 × 120 × 50	83	124	50	88	88	40	14	TB-AG-0812	TB-AT-0812	TB-PG-0812	TB-PT-0812	—	DS-0812	73	113
100 × 100 × 50	104	104	50	68	108	40	14	TB-AG-1010	TB-AT-1010	TB-PG-1010	TB-PT-1010	—	DS-1010	98	98
110 × 150 × 70	113	153	70	98	137	49	25	TB-AG-1115	TB-AT-1115	TB-PG-1115	TB-PT-1115	—	DS-1115	106	146
140 × 190 × 70	144	194	70	128	177	51	25	TB-AG-1419	TB-AT-1419	TB-PG-1419	TB-PT-1419	—	DS-1419	126	176
190 × 240 × 90	195	250	90	170	226	70	25	TB-AG-1924	TB-AT-1924	TB-PG-1924	TB-PT-1924	—	DS-1924	178	232
190 × 240 × 160	195	250	160	170	226	70	96	TB-AG-1924-1	TB-AT-1924-1	TB-PG-1924-1	TB-PT-1924-1	—	DS-1924-1	178	232
220 × 300 × 120	230	310	120	200	280	76	50	TB-AG-2230	TB-AT-2230	TB-PG-2230	TB-PT-2230	—	DS-2230	210	290
300 × 380 × 120	310	390	120	281	278	78	50	TB-AG-3038	TB-AT-3038	TB-PG-3038	TB-PT-3038	—	DS-3038	293	373
300 × 380 × 160	310	390	160	281	278	78	90	TB-AG-3038-1	TB-AT-3038-1	TB-PG-3038-1	TB-PT-3038-1	—	DS-3038	293	373

TB接綫盒塑料盒



安裝底板



TB-AG-0812 ~ TB-AG-1115 金屬螺絲



TB-AG-1419 - TB-AG-3038 塑料螺絲



可90° 開啓

# TB系列 防水接綫盒

## TB Series Plastic Enclosure



Beautiful appearance, excellent processing and stability should be guaranteed by material such as High Intensity ABS, PC, AC polyester assured Flammability material and Glass 30% annexing material. The use is convenient for the installation of Terminal Box, the supply Switchboard, Apparatus Box, electrical power supply and Control Box etc.

防水防塵等級	IP 55
溫度範圍	-40°C~+80°C

Size	產品型號 Product model (Plastic latch+hinge type)					底板型號 Plate Model		鐵底板尺寸 Plate Size			
	W	H	D	D <sub>1</sub>	D <sub>2</sub>	ABS	PC/ABS	Plastic(塑料)	Metal(金屬)	M1	M2
φ60×45	—	—	—	—	—	TB-AGR-C60	TB-ATR-C60	—	—	—	—
φ70×48	—	—	—	—	—	TB-AGR-C70	TB-ATR-C70	—	—	—	—
75×75×45	75	75	45	41.7	10	TB-AGR-0606	TB-ATR-0606	—	—	—	—
89×89×50	89	89	50	46.5	10	TB-AGR-0808	TB-ATR-0808	—	—	—	—
80×120×50	83	124	50	40	14	TB-AGR-0812	TB-ATR-0812	—	DS-0812	73	113
100×100×50	104	104	50	40	14	TB-AGR-1010	TB-ATR-1010	—	DS-1010	98	98
110×150×70	113	153	70	49	25	TB-AGR-1115	TB-ATR-1115	—	DS-1115	106	146
140×190×70	144	194	70	51	25	TB-AGR-1419	TB-ATR-1419	—	DS-1419	126	176
190×240×90	195	250	90	70	25	TB-AGR-1924	TB-ATR-1924	—	DS-1924	178	232
190×240×160	195	250	160	70	96	TB-AGR-1924-1	TB-ATR-1924-1	—	DS-1924-1	178	232
220×300×120	230	310	120	76	50	TB-AGR-2230	TB-ATR-2230	—	DS-2230	210	290
300×380×120	310	390	120	76	50	TB-AGR-3038	TB-ATR-3038	—	DS-3038	293	373
300×380×160	310	390	160	70	96	TB-AGR-3038-1	TB-ATR-3038-1	—	DS-3038-1	293	373



## TB Series Plastic Enclosure

Dimension(允许误差 ± 1mm)

防水防尘等级 IP 55

温度范围 -40℃~+80℃

