


DS系列 防水接綫盒(螺絲型)

DS Series Plastic Enclosure(Screw type)



Dimension(允許誤差 ± 1mm)


BASE




COVER
BASE



COVER
+BASE



MOUNTING
PLATE



Size	Division	W1	W2	W3	H1	H2	H3	H4	D1	D2	D3
★ 50 × 65 × 55		50	44	37	65	59	52	40	20	35	30
65 × 95 × 55		65	59	50	95	89	79	50	15	40	40
75 × 125 × 75		75	66	56	125	116	107	90	25	50	60
75 × 125 × 100		75	66	46	125	116	107	90	50	50	85
80 × 80 × 60		80	77	62	80	77	62	50	15	45	45
80 × 110 × 45		80	72	62	110	102	92	80	20	25	28
80 × 110 × 60		80	72	62	110	102	92	80	35	25	42
80 × 110 × 70		80	72	62	110	102	92	80	20	50	52
80 × 110 × 85		80	72	62	110	102	92	80	35	50	68
80 × 130 × 70		80	72	62	130	122	112	100	20	50	52
80 × 130 × 85		80	72	62	130	122	112	100	35	50	68
★ 80 × 160 × 55		80	76	66	160	156	146	138	15	40	38
★ 80 × 160 × 90		80	76	66	160	156	146	138	15	75	72
80 × 180 × 70		80	72	62	180	172	162	150	20	50	52
80 × 180 × 85		80	72	62	180	172	162	150	35	50	68
80 × 220 × 70		80	74	62	220	214	202	190	20	50	52
80 × 250 × 70		80	72	62	250	242	232	220	20	50	52
80 × 250 × 85		80	72	62	250	242	232	220	35	50	60
100 × 100 × 75		100	89	82	100	89	82	60	20	55	60
125 × 125 × 75		125	117	105	125	117	105	70	20	55	58
125 × 125 × 100		125	117	105	125	117	105	70	20	80	82
125 × 175 × 75		125	117	105	175	167	156	140	25	50	58
125 × 175 × 100		125	117	105	175	167	156	140	50	50	82
120 × 200 × 75		120	108	103	200	190	182	160	20	55	65
140 × 170 × 95		140	132	122	170	162	152	130	20	75	76
140 × 230 × 95		140	132	122	230	222	212	190	20	75	76
150 × 200 × 75		150	140	132	200	192	182	160	20	55	58
150 × 200 × 100		150	140	132	200	192	182	160	20	80	82
150 × 200 × 130		150	140	132	200	192	182	160	50	80	112
150 × 250 × 100		150	142	132	250	242	232	210	20	80	82
150 × 250 × 130		150	142	132	250	242	232	210	50	80	112
175 × 175 × 75		175	167	156	175	167	156	140	25	50	60
175 × 175 × 100		175	167	156	175	167	156	140	50	50	85
175 × 250 × 75		175	166	156	250	242	232	214	25	50	60
175 × 250 × 100		175	166	156	250	242	232	214	50	50	85
180 × 250 × 100		180	170	155	250	239	225	216	15	85	86
200 × 200 × 95		200	192	182	200	192	182	120	20	75	77
200 × 200 × 130		200	192	182	200	192	182	120	20		112
200 × 250 × 100		200	190	178	250	240	228	215	25	75	82

防水防塵等級	IP 66	備 注
溫度範圍	-40°C~+80°C	前面帶★表示螺絲是不銹鋼材質

DS Series Plastic Enclosure(Screw type)

產品特徵 Product characteristics



有極好的絕緣性能，抗化學腐蝕和抗機械擠壓的性能。達到高要求的IP66防護等級，所有的箱體都防塵、防水、抗80° 高溫。采用ABS、PC等材料制成，外形美觀、性能堅固。產品適用於小型終端機、按鈕盒、信號機、繼電器、計量器、通信、地鐵信號等用接綫盒等設備。

The enclosure is according to EN60529 standard, free from corrosion, compressive property and insulation, widely used in electronics, communications, fire fighting apparatus, control panel terminal boxes, public accommodation, ship industry, food industry etc. we always give top priority to quality and safety, your satisfaction is guaranteed.

型號規格 Model and size

Size W H D	產品型號 Product model (Screw type)				底板型號 Plate Model		鐵底板尺寸 Plate Size	
	ABS 蓋:灰色ABS 盒體:灰色ABS Cover:Grey ABS Body:Grey ABS	PC/ABS 蓋:透明PC 盒體:灰色ABS Cover:Transparent PC Body:Grey ABS	PC 蓋:灰色PC 盒體:灰色PC Cover:Grey PC Body:Grey PC	PC 蓋:透明PC 盒體:灰色PC Cover:Transparent PC Body:Grey PC	Plastic(塑料)	Metal(金屬)	M1	M2
50 x 65 x 55	DS-AG-0506	DS-AT-0506	DS-PG-0506	DS-PT-0506	—	DS-0506	40	55
65 x 95 x 55	DS-AG-0609	DS-AT-0609	DS-PG-0609	DS-PT-0609	—	—	—	—
75 x 125 x 75	DS-AG-0712	DS-AT-0712	DS-PG-0712	DS-PT-0712	DS-0712P	DS-0712	60	110
75 x 125 x 100	DS-AG-0712-1	DS-AT-0712-1	DS-PG-0712-1	DS-PT-0712-1	DS-0712P	DS-0712	60	110
80 x 80 x 60	DS-AG-0808	DS-AT-0808	DS-PG-0808	DS-PT-0808	—	DS-0808	65	65
80 x 110 x 45	DS-AG-0811-S	DS-AT-0811-S	DS-PG-0811-S	DS-PT-0811-S	DS-0811P	DS-0811	67	91
80 x 110 x 60	DS-AG-0811-1S	DS-AT-0811-1S	DS-PG-0811-1S	DS-PT-0811-1S	DS-0811P	DS-0811	67	91
80 x 110 x 70	DS-AG-0811	DS-AT-0811	DS-PG-0811	DS-PT-0811	DS-0811P	DS-0811	67	91
80 x 110 x 85	DS-AG-0811-1	DS-AT-0811-1	DS-PG-0811-1	DS-PT-0811-1	DS-0811P	DS-0811	67	91
80 x 130 x 70	DS-AG-0813	DS-AT-0813	DS-PG-0813	DS-PT-0813	DS-0813P	DS-0813	67	117
80 x 130 x 85	DS-AG-0813-1	DS-AT-0813-1	DS-PG-0813-1	DS-PT-0813-1	DS-0813P	DS-0813	67	117
80 x 160 x 55	DS-AG-0816-S	DS-AT-0816-S	DS-PG-0816-S	DS-PT-0816-S	DS-0816P	DS-0816	67	151
80 x 160 x 90	DS-AG-0816	DS-AT-0816	DS-PG-0816	DS-PT-0816	DS-0816P	DS-0816	67	151
80 x 180 x 70	DS-AG-0818	DS-AT-0818	DS-PG-0818	DS-PT-0818	DS-0818P	DS-0818	70	170
80 x 180 x 85	DS-AG-0818-1	DS-AT-0818-1	DS-PG-0818-1	DS-PT-0818-1	DS-0818P	DS-0818	70	170
80 x 220 x 70	DS-AG-0822	DS-AT-0822	DS-PG-0822	DS-PT-0822	DS-0822P	DS-0822	64	204
80 x 250 x 70	DS-AG-0825	DS-AT-0825	DS-PG-0825	DS-PT-0825	DS-0825P	DS-0825	67	237
80 x 250 x 85	DS-AG-0825-1	DS-AT-0825-1	DS-PG-0825-1	DS-PT-0825-1	DS-0825P	DS-0825	67	237
100 x 100 x 75	DS-AG-1010	DS-AT-1010	DS-PG-1010	DS-PT-1010	—	DS-1010	80	80
125 x 125 x 75	DS-AG-1212-S	DS-AT-1212-S	DS-PG-1212-S	DS-PT-1212-S	DS-1212P	DS-1212	112	112
125 x 125 x 100	DS-AG-1212	DS-AT-1212	DS-PG-1212	DS-PT-1212	DS-1212P	DS-1212	112	112
125 x 175 x 75	DS-AG-1217	DS-AT-1217	DS-PG-1217	DS-PT-1217	DS-1217P	DS-1217	112	162
125 x 175 x 100	DS-AG-1217-1	DS-AT-1217-1	DS-PG-1217-1	DS-PT-1217-1	DS-1217P	DS-1217	112	162
120 x 200 x 75	DS-AG-1220	DS-AT-1220	DS-PG-1220	DS-PT-1220	—	DS-1220	95	175
140 x 170 x 95	DS-AG-1417	DS-AT-1417	DS-PG-1417	DS-PT-1417	DS-1417P	DS-1417	127	154
140 x 230 x 95	DS-AG-1423	DS-AT-1423	DS-PG-1423	DS-PT-1423	DS-1423P	DS-1423	125	215
150 x 200 x 75	DS-AG-1520-S	DS-AT-1520-S	DS-PG-1520-S	DS-PT-1520-S	DS-1520P	DS-1520	136	185
150 x 200 x 100	DS-AG-1520	DS-AT-1520	DS-PG-1520	DS-PT-1520	DS-1520P	DS-1520	136	185
150 x 200 x 130	DS-AG-1520-1	DS-AT-1520-1	DS-PG-1520-1	DS-PT-1520-1	DS-1520P	DS-1520	136	185
150 x 250 x 100	DS-AG-1525	DS-AT-1525	DS-PG-1525	DS-PT-1525	DS-1525P	DS-1525	135	235
150 x 250 x 130	DS-AG-1525-1	DS-AT-1525-1	DS-PG-1525-1	DS-PT-1525-1	DS-1525P	DS-1525	135	235
175 x 175 x 75	DS-AG-1717	DS-AT-1717	DS-PG-1717	DS-PT-1717	DS-1717P	DS-1717	159	159
175 x 175 x 100	DS-AG-1717-1	DS-AT-1717-1	DS-PG-1717-1	DS-PT-1717-1	DS-1717P	DS-1717	159	159
175 x 250 x 75	DS-AG-1725	DS-AT-1725	DS-PG-1725	DS-PT-1725	DS-1725P	DS-1725	155	230
175 x 250 x 100	DS-AG-1725-1	DS-AT-1725-1	DS-PG-1725-1	DS-PT-1725-1	DS-1725P	DS-1725	155	230
180 x 250 x 100	DS-AG-1825	DS-AT-1825	DS-PG-1825	DS-PT-1825	—	DS-1825	160	230
200 x 200 x 95	DS-AG-2020-S	DS-AT-2020-S	DS-PG-2020-S	DS-PT-2020-S	DS-2020P	DS-2020	185	185
200 x 200 x 130	DS-AG-2020	DS-AT-2020	DS-PG-2020	DS-PT-2020	DS-2020P	DS-2020	185	185
200 x 250 x 100	DS-AG-2025	DS-AT-2025	DS-PG-2025	DS-PT-2025	—	DS-2025	180	228

適用附件 Accessories



Steel mounting plate
金屬底板 (鍍鋅)



Plastic mounting plate
塑料底板(ABS)



Wall brackets for Plastic box
塑料盒不銹鋼掛墻鉤
MODEL:WP-01



Plastic enclosure screw
塑料螺絲
MODEL:TJLT-70



Plastic enclosure screw
塑料螺絲
MODEL:TJM-60



Plastic enclosure screw
塑料螺絲
MODEL:TJS-50


DS系列 防水接綫盒(活頁搭扣型)

DS Series Plastic Enclosure(Hinge type)



Dimension(允許誤差 ± 1mm)

BASE




COVER
BASE



COVER
+BASE



MOUNTING
PLATE



Size	Division	W1	W2	W3	H1	H2	H3	H4	D1	D2	D3
75 × 125 × 75		75	66	56	125	116	107	90	25	50	60
75 × 125 × 100		75	66	46	125	116	107	90	50	50	85
80 × 110 × 70		80	72	62	110	102	92	80	20	50	52
80 × 110 × 85		80	72	62	110	102	92	80	35	50	68
80 × 130 × 70		80	72	62	130	122	112	100	20	50	52
80 × 130 × 85		80	72	62	130	122	112	100	35	50	68
80 × 160 × 90		80	76	66	160	156	146	138	15	75	72
80 × 180 × 70		80	72	62	180	172	162	150	20	50	52
80 × 180 × 85		80	72	62	180	172	162	150	35	50	68
80 × 220 × 70		80	74	62	220	214	202	190	20	50	52
80 × 250 × 70		80	72	62	250	242	232	220	20	50	52
80 × 250 × 85		80	72	62	250	242	232	220	35	50	60
100 × 100 × 75		100	89	82	100	89	82	60	20	55	60
100 × 180 × 75		100	91	76	180	151	155	142	15	60	60
100 × 223 × 75		100	91	76	223	194	198	187	15	60	60
125 × 125 × 75		125	117	105	125	117	105	70	20	55	58
125 × 125 × 100		125	117	105	125	117	105	70	20	80	82
125 × 175 × 75		125	117	105	175	167	156	140	25	50	58
125 × 175 × 100		125	117	105	175	167	156	140	50	50	82
120 × 200 × 75		120	108	103	200	190	182	160	20	55	65
140 × 170 × 95		140	132	122	170	162	152	130	20	75	76
140 × 230 × 95		140	132	122	230	222	212	190	20	75	76
150 × 200 × 75		150	140	132	200	192	182	160	20	55	58
150 × 200 × 100		150	140	132	200	192	182	160	20	80	82
150 × 200 × 130		150	140	132	200	192	182	160	50	80	112
150 × 250 × 100		150	142	132	250	242	232	210	20	80	82
150 × 250 × 130		150	142	132	250	242	232	210	50	80	112
175 × 175 × 75		175	167	156	175	167	156	140	25	50	60
175 × 175 × 100		175	167	156	175	167	156	140	50	50	85
175 × 250 × 75		175	166	156	250	242	232	214	25	50	60
175 × 250 × 100		175	166	156	250	242	232	214	50	50	85
180 × 250 × 100		180	170	155	250	239	225	216	15	85	86
200 × 200 × 95		200	192	182	200	192	182	120	20	75	77
200 × 200 × 130		200	192	182	200	192	182	120	50	80	112
200 × 250 × 100		200	190	178	250	240	228	215	25	75	82

防水防塵等級 IP 66

溫度範圍 -40°C~+80°C

備注

前面帶★表示螺絲是不銹鋼材質

DS Series Plastic Enclosure(Hinge type)

產品特徵 Product characteristics




有極好的絕緣性能，抗化學腐蝕和抗機械擠壓的性能。達到高要求的IP66防護等級，所有的箱體都防塵、防水、抗80° 高溫。采用ABS、PC等材料制成，外形美觀、性能堅固。產品適用於小型終端機、按鈕盒、信號機、繼電器、計量器、地鐵信號等用接綫盒等設備。

The enclosure is according to EN60529 standard, free from corrosion, compressive property and insulation, widely used in electronics, communications, fire fighting apparatus, control panel terminal boxes, public accommodation, ship industry, food industry etc. we always give top priority to quality and safety, your satisfaction is guaranteed.

型號規格 Model and size

Size W H D	產品型號 Product model (Stainless steel latch+Screw type)				底板型號 Plate Model		鐵底板尺寸 Plate Size	
	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金屬)	M1	M2
	蓋:灰色ABS 盒體:灰色ABS Cover:Grey ABS Body:Grey ABS	蓋:透明PC 盒體:灰色ABS Cover:Transparent PC Body:Grey ABS	蓋:灰色PC 盒體:灰色PC Cover:Grey PC Body:Grey PC	蓋:透明PC 盒體:灰色PC Cover:Transparent PC Body:Grey PC				
75 x 125 x 75	DS-AGH-0712	DS-ATH-0712	DS-PGH-0712	DS-PTH-0712	DS-0712P	DS-0712	60	110
75 x 125 x 100	DS-AGH-0712-1	DS-ATH-0712-1	DS-PGH-0712-1	DS-PTH-0712-1	DS-0712P	DS-0712	60	110
80 x 80 x 60	DS-AGH-0808	DS-ATH-0808	DS-PGH-0808	DS-PTH-0808	—	DS-0808	65	65
80 x 110 x 70	DS-AGH-0811	DS-ATH-0811	DS-PGH-0811	DS-PTH-0811	DS-0811P	DS-0811	67	91
80 x 110 x 85	DS-AGH-0811-1	DS-ATH-0811-1	DS-PGH-0811-1	DS-PTH-0811-1	DS-0811P	DS-0811	67	91
80 x 130 x 70	DS-AGH-0813	DS-ATH-0813	DS-PGH-0813	DS-PTH-0813	DS-0813P	DS-0813	67	117
80 x 130 x 85	DS-AGH-0813-1	DS-ATH-0813-1	DS-PGH-0813-1	DS-PTH-0813-1	DS-0813P	DS-0813	67	117
80 x 160 x 90	DS-AGH-0816	DS-ATH-0816	DS-PGH-0816	DS-PTH-0816	DS-0816P	DS-0816	67	151
80 x 180 x 70	DS-AGH-0818	DS-ATH-0818	DS-PGH-0818	DS-PTH-0818	DS-0818P	DS-0818	70	170
80 x 180 x 85	DS-AGH-0818-1	DS-ATH-0818-1	DS-PGH-0818-1	DS-PTH-0818-1	DS-0818P	DS-0818	70	170
80 x 220 x 70	DS-AGH-0822	DS-ATH-0822	DS-PGH-0822	DS-PTH-0822	DS-0822P	DS-0822	64	204
80 x 250 x 70	DS-AGH-0825	DS-ATH-0825	DS-PGH-0825	DS-PTH-0825	DS-0825P	DS-0825	67	237
80 x 250 x 85	DS-AGH-0825-1	DS-ATH-0825-1	DS-PGH-0825-1	DS-PTH-0825-1	DS-0825P	DS-0825	67	237
100 x 100 x 75	DS-AGH-1010	DS-ATH-1010	DS-PGH-1010	DS-PTH-1010	—	DS-1010	80	80
100 x 180 x 75	DS-AGH-1018	DS-ATH-1018	DS-PGH-1018	DS-PTH-1018	—	DS-1018	82	162
100 x 223 x 75	DS-AGH-1022	DS-ATH-1022	DS-PGH-1022	DS-PTH-1022	—	DS-1022	80	205
125 x 125 x 75	DS-AGH-1212-S	DS-ATH-1212-S	DS-PGH-1212-S	DS-PTH-1212-S	DS-1212P	DS-1212	112	112
125 x 125 x 100	DS-AGH-1212	DS-ATH-1212	DS-PGH-1212	DS-PTH-1212	DS-1212P	DS-1212	112	112
125 x 175 x 75	DS-AGH-1217	DS-ATH-1217	DS-PGH-1217	DS-PTH-1217	DS-1217P	DS-1217	112	162
125 x 175 x 100	DS-AGH-1217-1	DS-ATH-1217-1	DS-PGH-1217-1	DS-PTH-1217-1	DS-1217P	DS-1217	112	162
120 x 200 x 75	DS-AGH-1220	DS-ATH-1220	DS-PGH-1220	DS-PTH-1220	—	DS-1220	95	175
140 x 170 x 95	DS-AGH-1417	DS-ATH-1417	DS-PGH-1417	DS-PTH-1417	DS-1417P	DS-1417	127	154
140 x 230 x 95	DS-AGH-1423	DS-ATH-1423	DS-PGH-1423	DS-PTH-1423	DS-1423P	DS-1423	125	215
150 x 200 x 75	DS-AGH-1520-S	DS-ATH-1520-S	DS-PGH-1520-S	DS-PTH-1520-S	DS-1520P	DS-1520	136	185
150 x 200 x 100	DS-AGH-1520	DS-ATH-1520	DS-PGH-1520	DS-PTH-1520	DS-1520P	DS-1520	136	185
150 x 200 x 130	DS-AGH-1520-1	DS-ATH-1520-1	DS-PGH-1520-1	DS-PTH-1520-1	DS-1520P	DS-1520	136	185
150 x 250 x 100	DS-AGH-1525	DS-ATH-1525	DS-PGH-1525	DS-PTH-1525	DS-1525P	DS-1525	135	235
150 x 250 x 130	DS-AGH-1525-1	DS-ATH-1525-1	DS-PGH-1525-1	DS-PTH-1525-1	DS-1525P	DS-1525	135	235
175 x 175 x 75	DS-AGH-1717	DS-ATH-1717	DS-PGH-1717	DS-PTH-1717	DS-1717P	DS-1717	159	159
175 x 175 x 100	DS-AGH-1717-1	DS-ATH-1717-1	DS-PGH-1717-1	DS-PTH-1717-1	DS-1717P	DS-1717	159	159
175 x 250 x 75	DS-AGH-1725	DS-ATH-1725	DS-PGH-1725	DS-PTH-1725	DS-1725P	DS-1725	155	230
175 x 250 x 100	DS-AGH-1725-1	DS-ATH-1725-1	DS-PGH-1725-1	DS-PTH-1725-1	DS-1725P	DS-1725	155	230
180 x 250 x 100	DS-AGH-1825	DS-ATH-1825	DS-PGH-1825	DS-PTH-1825	—	DS-1825	160	230
200 x 200 x 95	DS-AGH-2020-S	DS-ATH-2020-S	DS-PGH-2020-S	DS-PTH-2020-S	DS-2020P	DS-2020	185	185
200 x 200 x 130	DS-AGH-2020	DS-ATH-2020	DS-PGH-2020	DS-PTH-2020	DS-2020P	DS-2020	185	185
200 x 250 x 100	DS-AGH-2025	DS-ATH-2025	DS-PGH-2025	DS-PTH-2025	—	DS-2025	180	228

適用附件 Accessories



Steel mounting plate
金屬底板 (鍍鋅)



Plastic mounting plate
塑料底板(ABS)



Wall brackets for Plastic box
塑料盒不銹鋼掛牆鉤
MODEL:WP-01



Cap for Screw
堵塞頭
MODEL:ZC-S10



Stainless steel hinge
不銹鋼鉸鏈
MODEL:HG-01



Stainless steel latch
不銹鋼搭扣
MODEL:LC-01